



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### Johnson Controls Ball Valves to Belimo

Competitor Specs  Belimo Specs

JOHNSON CONTROLS	MODEL NUMBERS		TYPE	Cv	SIZE		VALVE TRIM	
	TYPE	BELIMO			SIZE	SIZE	VALVE TRIM	VALVE TRIM
		B208	2-way	0.46	1/2"			stainless steel
		B208B	2-way	0.46	1/2"			chrome plated brass
		B209	2-way	0.8	1/2"			stainless steel
		B209B	2-way	0.8	1/2"			chrome plated brass
		B210	2-way	1.2	1/2"			stainless steel
VG1241AD	2-way	B210B	2-way	1.2	1/2"	1/2"	brass	chrome plated brass
		B211	2-way	1.9	1/2"			stainless steel
VG1241AE	2-way	B211B	2-way	1.9	1/2"	1/2"	brass	chrome plated brass
		B212	2-way	3	1/2"			stainless steel
VG1241AF	2-way	B212B	2-way	2.9	1/2"	1/2"	brass	chrome plated brass
		B213	2-way	4.7	1/2"			stainless steel
VG1241AG	2-way	B213B	2-way	4.7	1/2"	1/2"	brass	chrome plated brass
		B214	2-way	7.4	1/2"			stainless steel
VG1241AL	2-way	B214B	2-way	7.4	1/2"	1/2"	brass	chrome plated brass
		B215	2-way	10	1/2"			stainless steel
VG1241AN	2-way	B215B	2-way	11.7	1/2"	1/2"	brass	chrome plated brass
		B217	2-way	4.7	3/4"			stainless steel
VG1241BG	2-way	B217B	2-way	4.7	3/4"	3/4"	brass	chrome plated brass
		B218	2-way	7.4	3/4"			stainless steel
VG1241BL	2-way	B218B	2-way	7.4	3/4"	3/4"	brass	chrome plated brass
		B219	2-way	10	3/4"			stainless steel
VG1241BN	2-way	B219B	2-way	11.7	3/4"	3/4"	brass	chrome plated brass
		B220	2-way	24	3/4"			stainless steel
VG1241BC	2-way	B220B	2-way	28.7	3/4"	3/4"	brass	chrome plated brass
		B222	2-way	7.4	3/4"			stainless steel
VG1241CL	2-way	B222B	2-way	7.4	1"	1"	brass	chrome plated brass
VG1241CN	2-way	B223	2-way	11.7	1"	1"	brass	stainless steel
VG1241CP	2-way	B224	2-way	18.7	1"	1"	brass	stainless steel
VG1241CC	2-way	B225	2-way	48.3	1"	1"	brass	stainless steel
VG1241DN	2-way	B229	2-way	11.7	1 1/4"	1 1/4"	brass	stainless steel
VG1241DP	2-way	B230	2-way	18.7	1 1/4"	1 1/4"	brass	stainless steel
VG1241DR	2-way	B231	2-way	29.2	1 1/4"	1 1/4"	brass	stainless steel
VG1241DC	2-way	B232	2-way	82.6	1 1/4"	1 1/4"	brass	stainless steel
VG1241EP	2-way	B238	2-way	18.7	1 1/2"	1 1/2"	brass	stainless steel
VG1241ER	2-way	B239	2-way	29.2	1 1/2"	1 1/2"	brass	stainless steel
VG1241ES	2-way	B240	2-way	46.8	1 1/2"	1 1/2"	brass	stainless steel
VG1241FR	2-way	B248	2-way	29.2	2"	2"	brass	stainless steel
VG1241FS	2-way	B249	2-way	46.8	2"	2"	brass	stainless steel
VG1241FT	2-way	B250	2-way	73.7	2"	2"	brass	stainless steel
		B251	2-way	65	2"			stainless steel
		B252	2-way	85	2"			stainless steel
		B253	2-way	120	2"			stainless steel
		B254	2-way	240	2"			stainless steel
VG1841AD	3-way	B310B	3-way	1.2	1/2"	1/2"	brass	chrome plated brass
		B311	3-way	1.9	1/2"			stainless steel
VG1841AE	3-way	B311B	3-way	1.9	1/2"	1/2"	brass	chrome plated brass
		B312	3-way	3	1/2"			stainless steel
VG1841AF	3-way	B312B	3-way	3	1/2"	1/2"	brass	chrome plated brass
		B313	3-way	4.7	1/2"			stainless steel
VG1841AG	3-way	B313B	3-way	4.7	1/2"	1/2"	brass	chrome plated brass
VG1841AN	3-way	B315B	3-way	10	1/2"	1/2"	brass	chrome plated brass
VG1841BG	3-way	B317B	3-way	4.7	3/4"	3/4"	brass	chrome plated brass
VG1841BL	3-way	B318B	3-way	7.4	3/4"	3/4"	brass	chrome plated brass
VG1841CL	3-way	B322	3-way	24	1"	1"	brass	stainless steel
VG1841CN	3-way	B323	3-way	7.4	1"	1"	brass	stainless steel
VG1841DN	3-way	B329	3-way	10	1 1/4"	1 1/4"	brass	stainless steel
VG1841DP	3-way	B330	3-way	19	1 1/4"	1 1/4"	brass	stainless steel
VG1841DR	3-way	B331	3-way	25	1 1/4"	1 1/4"	brass	stainless steel
VG1841EP	3-way	B338	3-way	19	1 1/2"	1 1/2"	brass	stainless steel
VG1841ER	3-way	B339	3-way	29	1 1/2"	1 1/2"	brass	stainless steel
VG1841ES	3-way	B340	3-way	37	1 1/2"	1 1/2"	brass	stainless steel
VG1841FR	3-way	B348	3-way	29	2"	2"	brass	stainless steel
VG1841FS	3-way	B349	3-way	46	2"	2"	brass	stainless steel
VG1841FT	3-way	B350	3-way	57	2"	2"	brass	stainless steel
		B351	3-way	68	2"			stainless steel
		B352	3-way	83	2"			stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### Johnson Controls Globe Valves to Belimo

Competitor Specs    Belimo Specs

JOHNSON CONTROLS	MODEL NUMBERS		TYPE	Cv	SIZE		VALVE TRIM	
	TYPE	BELIMO			SIZE	VALVE TRIM		
		B208	2-way	0.46	1/2"		stainless steel	
		B208B	2-way	0.46	1/2"		chrome plated brass	
		B209	2-way	0.8	1/2"		stainless steel	
		B209B	2-way	0.8	1/2"		chrome plated brass	
		B210	2-way	1.2	1/2"		stainless steel	
VG7241CT	2-way	B210B	2-way	0.73	1/2"	1/2"	brass	chrome plated brass
		B211	2-way	1.9	1/2"		stainless steel	
VG7241ET	2-way	B211B	2-way	1.7	1/2"	1/2"	brass	chrome plated brass
		B212	2-way	3	1/2"		stainless steel	
	2-way	B212B	2-way	3	1/2"		chrome plated brass	
		B213	2-way	4.7	1/2"		stainless steel	
VG7241GT	2-way	B213B	2-way	4.6	1/2"	1/2"	brass	chrome plated brass
		B214	2-way	7.4	1/2"		stainless steel	
	2-way	B214B	2-way	7.4	1/2"		chrome plated brass	
		B215	2-way	10	1/2"		stainless steel	
	2-way	B215B	2-way	10	1/2"		chrome plated brass	
		B217	2-way	4.7	3/4"		stainless steel	
	2-way	B217B	2-way	4.7	3/4"		chrome plated brass	
		B218	2-way	7.4	3/4"		stainless steel	
VG7241LT	2-way	B218B	2-way	7.3	3/4"	3/4"	brass	chrome plated brass
		B219	2-way	10	3/4"		stainless steel	
	2-way	B219B	2-way	10	3/4"		chrome plated brass	
		B220	2-way	24	3/4"		stainless steel	
	2-way	B220B	2-way	24	3/4"		chrome plated brass	
		B222	2-way	7.4	3/4"		stainless steel	
	2-way	B222B	2-way	7.4	1"		chrome plated brass	
VG7241NT	2-way	B223	2-way	11.6	10	1"	brass	stainless steel
	2-way	B224	2-way	19	1"		stainless steel	
	2-way	B225	2-way	30	1"		stainless steel	
	2-way	B229	2-way	10	1 1/4"		stainless steel	
VG7241PT	2-way	B230	2-way	18.5	19	1 1/4"	brass	stainless steel
	2-way	B231	2-way	25	1 1/4"		stainless steel	
	2-way	B232	2-way	37	1 1/4"		stainless steel	
	2-way	B238	2-way	19	1 1/2"		stainless steel	
VG7241RT	2-way	B239	2-way	28.9	29	1 1/2"	brass	stainless steel
	2-way	B240	2-way	37	1 1/2"		stainless steel	
	2-way	B248	2-way	29	2"		stainless steel	
VG7241ST	2-way	B249	2-way	46.2	46	2"	brass	stainless steel
	2-way	B250	2-way	57	2"		stainless steel	
		B251	2-way	65	2"		stainless steel	
		B252	2-way	85	2"		stainless steel	
		B253	2-way	120	2"		stainless steel	
		B254	2-way	240	2"		stainless steel	
VG7842CT	3-way	B310B	3-way	0.73	1/2"	1/2"	brass	chrome plated brass
		B311	3-way	1.9	1/2"		stainless steel	
VG7842ET	3-way	B311B	3-way	1.8	1/2"	1/2"	brass	chrome plated brass
		B312	3-way	3	1/2"		stainless steel	
	3-way	B312B	3-way	3	1/2"		chrome plated brass	
		B313	3-way	4.7	1/2"		stainless steel	
VG7842GT	3-way	B313B	3-way	4.6	1/2"	1/2"	brass	chrome plated brass
	3-way	B315B	3-way	10	1/2"		chrome plated brass	
	3-way	B317B	3-way	4.7	3/4"		chrome plated brass	
VG7842LT	3-way	B318B	3-way	7.3	7.4	3/4"	brass	chrome plated brass
	3-way	B322	3-way	7.4	1"		stainless steel	
VG7842NT (VG7243 / stainless)	3-way	B323	3-way	11.6	10	1"	brass	stainless steel
	3-way	B329	3-way	10	1 1/4"		stainless steel	
VG7842PT (VG7243 / stainless)	3-way	B330	3-way	18.5	19	1 1/4"	brass	stainless steel
	3-way	B331	3-way	25	1 1/4"		stainless steel	
	3-way	B338	3-way	19	1 1/2"		stainless steel	
VG7842RT (VG7243 / stainless)	3-way	B339	3-way	28.9	29	1 1/2"	brass	stainless steel
	3-way	B340	3-way	37	1 1/2"		stainless steel	
	3-way	B348	3-way	37	2"		stainless steel	
VG7842ST (VG7243 / stainless)	3-way	B349	3-way	46.2	46	2"	brass	stainless steel
	3-way	B350	3-way	57	2"		stainless steel	
		B351	3-way	68	2"		stainless steel	
		B352	3-way	83	2"		stainless steel	

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### Honeywell Ball Valves to Belimo

Competitor Specs    Belimo Specs

HONEYWELL	MODEL NUMBERS		Cv	SIZE		VALVE TRIM	
	BELIMO	TYPE					
	B208	2-way	0.46	1/2"			stainless steel
	B208B	2-way	0.46	1/2"			chrome plated brass
	B209	2-way	0.8	1/2"			stainless steel
	B209B	2-way	0.8	1/2"			chrome plated brass
	B210	2-way	1.2	1/2"			stainless steel
VB2ABBA	B210B	2-way	1.3	1/2"	1/2"	brass	chrome plated brass
	B211	2-way	1.9	1/2"			stainless steel
	B211B	2-way	1.9	1/2"		brass	chrome plated brass
	B212	2-way	3	1/2"			stainless steel
VB2ADBA	B212B	2-way	2.6	1/2"	1/2"	brass	chrome plated brass
	B213	2-way	4.7	1/2"			stainless steel
VB2AEBA	B213B	2-way	4.7	1/2"	1/2"	brass	chrome plated brass
	B214	2-way	7.4	1/2"			stainless steel
VB2AFBA	B214B	2-way	8	1/2"	1/2"	brass	chrome plated brass
	B215	2-way	10	1/2"			stainless steel
VB2AGBA	B215B	2-way	11.7	1/2"	1/2"	brass	chrome plated brass
	B217	2-way	4.7	3/4"			stainless steel
VB2BABA	B217B	2-way	4.3	3/4"	3/4"	brass	chrome plated brass
	B218	2-way	7.4	3/4"			stainless steel
	B218B	2-way	7.4	3/4"			chrome plated brass
	B219	2-way	10	3/4"			stainless steel
VB2BBBA	B219B	2-way	10.1	3/4"	3/4"	brass	chrome plated brass
	B220	2-way	24	3/4"			stainless steel
VB2BDBA	B220B	2-way	28.6	3/4"	3/4"	brass	chrome plated brass
	B222	2-way	7.4	3/4"			stainless steel
	B222B	2-way	7.4	1"			chrome plated brass
VB2CABA	B223	2-way	9	1"	1"	brass	stainless steel
VB2CBBA	B224	2-way	15	1"	1"	brass	stainless steel
VB2CCBA	B225	2-way	26.1	1"	1"	brass	stainless steel
	B229	2-way	10	1 1/4"			stainless steel
VB2DABA	B230	2-way	14.9	1 1/4"	1 1/4"	brass	stainless steel
	B231	2-way	25	1 1/4"			stainless steel
VB2DBBA	B232	2-way	36.5	1 1/4"	1 1/4"	brass	stainless steel
	B238	2-way	19	1 1/2"			stainless steel
VB2EABA	B239	2-way	22.8	1 1/2"	1 1/2"	brass	stainless steel
VB2EBBA	B240	2-way	46.8	1 1/2"	1 1/2"	brass	stainless steel
	B248	2-way	29	2"			stainless steel
VB2FABA	B249	2-way	41.7	2"	2"	brass	stainless steel
VB2FBBA	B250	2-way	71.1	2"	2"	brass	stainless steel
	B251	2-way	65	2"			stainless steel
	B252	2-way	85	2"			stainless steel
	B253	2-way	120	2"			stainless steel
	B254	2-way	240	2"			stainless steel
VB3AABA	B310B	3-way	1	1/2"	1/2"	brass	chrome plated brass
	B311	3-way	1.9	1/2"			stainless steel
VB3ABBA	B311B	3-way	2.4	1/2"	1/2"	brass	chrome plated brass
	B312	3-way	3	1/2"			stainless steel
VB3ACBA	B312B	3-way	4.3	1/2"	1/2"	brass	chrome plated brass
	B313	3-way	4.7	1/2"			stainless steel
	B313B	3-way	4.7	1/2"			chrome plated brass
	B315B	3-way	10	1/2"			chrome plated brass
VB3BBBA	B317B	3-way	3.8	3/4"	3/4"	brass	chrome plated brass
	B318B	3-way	7.4	3/4"			chrome plated brass
VB3CABA	B322	3-way	8.6	1"	1"	brass	stainless steel
	B323	3-way	10	1"			stainless steel
VB3DABA	B329	3-way	12.7	1 1/4"	1 1/4"	brass	stainless steel
	B330	3-way	19	1 1/4"			stainless steel
	B331	3-way	25	1 1/4"			stainless steel
VB3EABA	B338	3-way	13.4	1 1/2"	1 1/2"	brass	stainless steel
	B339	3-way	29	1 1/2"			stainless steel
	B340	3-way	37	1 1/2"			stainless steel
VB3FABA	B348	3-way	23.9	2"	2"	brass	stainless steel
VB3FBBA	B349	3-way	38.2	2"	2"	brass	stainless steel
	B350	3-way	57	2"			stainless steel
	B351	3-way	68	2"			stainless steel
	B352	3-way	83	2"			stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### Honeywell Cartridge Globe Valves to Belimo

Competitor Specs  Belimo Specs

HONEYWELL	MODEL NUMBERS		Cv	SIZE		VALVE TRIM
	BELIMO	TYPE				
	B208	2-way	0.46	1/2"	1/2"	stainless steel
	B208B	2-way	0.46	1/2"	1/2"	chrome plated brass
	B209	2-way	0.8	1/2"	1/2"	stainless steel
	B209B	2-way	0.8	1/2"	1/2"	chrome plated brass
	B210	2-way	1.2	1/2"	1/2"	stainless steel
V5853A2030	B210B	2-way	1.2	1/2"	1/2"	brass chrome plated brass
	B211	2-way	1.9	1/2"	1/2"	stainless steel
V5853A2048	B211B	2-way	1.9	1/2"	1/2"	brass chrome plated brass
	B212	2-way	3	1/2"	1/2"	stainless steel
	B212B	2-way	3	1/2"	1/2"	chrome plated brass
	B213	2-way	4.7	1/2"	1/2"	stainless steel
	B213B	2-way	4.7	1/2"	1/2"	chrome plated brass
	B214	2-way	7.4	1/2"	1/2"	stainless steel
	B214B	2-way	7.4	1/2"	1/2"	chrome plated brass
	B215	2-way	10	1/2"	1/2"	stainless steel
	B215B	2-way	10	1/2"	1/2"	chrome plated brass
	B217	2-way	4.7	3/4"	3/4"	stainless steel
V5853A2063	B217B	2-way	4.9	3/4"	3/4"	brass chrome plated brass
	B218	2-way	7.4	3/4"	3/4"	stainless steel
	B218B	2-way	7.4	3/4"	3/4"	chrome plated brass
	B219	2-way	10	3/4"	3/4"	stainless steel
	B219B	2-way	10	3/4"	3/4"	chrome plated brass
	B220	2-way	24	3/4"	3/4"	stainless steel
	B220B	2-way	24	3/4"	3/4"	chrome plated brass
	B222	2-way	7.4	3/4"	3/4"	stainless steel
	B222B	2-way	7.4	1"	1"	chrome plated brass
V5863A3028	B223	2-way	11	1"	1"	brass stainless steel
	B224	2-way	19	1"	1"	stainless steel
	B225	2-way	30	1"	1"	stainless steel
	B229	2-way	10	1 1/4"	1 1/4"	stainless steel
V5863A3036	B230	2-way	18	1 1/4"	1 1/4"	brass stainless steel
	B231	2-way	25	1 1/4"	1 1/4"	stainless steel
	B232	2-way	37	1 1/4"	1 1/4"	stainless steel
	B238	2-way	19	1 1/2"	1 1/2"	stainless steel
V5863A3044	B239	2-way	25	1 1/2"	1 1/2"	brass stainless steel
	B240	2-way	37	1 1/2"	1 1/2"	stainless steel
	B248	2-way	29	2"	2"	stainless steel
	B249	2-way	46	2"	2"	stainless steel
	B250	2-way	57	2"	2"	stainless steel
	B251	2-way	65	2"	2"	stainless steel
	B252	2-way	85	2"	2"	stainless steel
	B253	2-way	120	2"	2"	stainless steel
	B254	2-way	240	2"	2"	stainless steel
	B310B	3-way	1.2	1/2"	1/2"	chrome plated brass
	B311	3-way	1.9	1/2"	1/2"	stainless steel
	B311B	3-way	1.9	1/2"	1/2"	chrome plated brass
	B312	3-way	3	1/2"	1/2"	stainless steel
	B312B	3-way	3	1/2"	1/2"	chrome plated brass
	B313	3-way	4.7	1/2"	1/2"	stainless steel
	B313B	3-way	4.7	1/2"	1/2"	chrome plated brass
	B315B	3-way	10	1/2"	1/2"	chrome plated brass
	B317B	3-way	4.7	3/4"	3/4"	chrome plated brass
	B318B	3-way	7.4	3/4"	3/4"	chrome plated brass
	B322	3-way	7.4	1"	1"	stainless steel
	B323	3-way	10	1"	1"	stainless steel
	B329	3-way	10	1 1/4"	1 1/4"	stainless steel
	B330	3-way	19	1 1/4"	1 1/4"	stainless steel
	B331	3-way	25	1 1/4"	1 1/4"	stainless steel
	B338	3-way	19	1 1/2"	1 1/2"	stainless steel
	B339	3-way	29	1 1/2"	1 1/2"	stainless steel
	B340	3-way	37	1 1/2"	1 1/2"	stainless steel
	B348	3-way	37	2"	2"	stainless steel
	B349	3-way	46	2"	2"	stainless steel
	B350	3-way	57	2"	2"	stainless steel
	B351	3-way	68	2"	2"	stainless steel
	B352	3-way	83	2"	2"	stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### Honeywell V5011N Globe Valves to Belimo

Competitor Specs  Belimo Specs

HONEYWELL	MODEL NUMBERS		Cv	SIZE		VALVE TRIM	
	BELIMO	TYPE					
	B208	2-way	0.46	1/2"			stainless steel
	B208B	2-way	0.46	1/2"			chrome plated brass
	B209	2-way	0.8	1/2"			stainless steel
	B209B	2-way	0.8	1/2"			chrome plated brass
	B210	2-way	1.2	1/2"			stainless steel
V5011N1016	B210B	2-way	1.16	1/2"	1/2"	brass	chrome plated brass
	B211	2-way	1.9	1/2"			stainless steel
V5011N1024	B211B	2-way	1.86	1/2"	1/2"	brass	chrome plated brass
	B212	2-way	3	1/2"			stainless steel
V5011N1032	B212B	2-way	2.9	1/2"	1/2"	brass	chrome plated brass
	B213	2-way	4.7	1/2"			stainless steel
V011N1040	B213B	2-way	4.7	1/2"	1/2"	brass	chrome plated brass
	B214	2-way	7.4	1/2"			stainless steel
	B214B	2-way	7.4	1/2"			chrome plated brass
	B215	2-way	10	1/2"			stainless steel
V5011N1057	B215B	2-way	7.3	1/2"	3/4"	brass	chrome plated brass
	B217	2-way	4.7	3/4"			stainless steel
	B217B	2-way	4.7	3/4"			chrome plated brass
	B218	2-way	7.4	3/4"			stainless steel
	B218B	2-way	7.4	3/4"			chrome plated brass
	B219	2-way	10	3/4"			stainless steel
	B219B	2-way	10	3/4"			chrome plated brass
	B220	2-way	24	3/4"			stainless steel
	B220B	2-way	24	3/4"			chrome plated brass
	B222	2-way	7.4	3/4"			stainless steel
	B222B	2-way	7.4	1"			chrome plated brass
V5011N1065	B223	2-way	11.7	10	1"	brass	stainless steel
	B224	2-way	19	1"			stainless steel
	B225	2-way	30	1"			stainless steel
	B229	2-way	10	1 1/4"			stainless steel
V5011N1073	B230	2-way	19	1 1/4"	1 1/4"	brass	stainless steel
	B231	2-way	25	1 1/4"			stainless steel
	B232	2-way	37	1 1/4"			stainless steel
	B238	2-way	19	1 1/2"			stainless steel
V5011N1081	B239	2-way	29	1 1/2"	1 1/2"	brass	stainless steel
	B240	2-way	37	1 1/2"			stainless steel
	B248	2-way	29	1/2"	2"	brass	stainless steel
V5011N1099	B249	2-way	46.8	46	2"	brass	stainless steel
	B250	2-way	57	2"			stainless steel
	B251	2-way	65	2"			stainless steel
	B252	2-way	85	2"			stainless steel
	B253	2-way	120	2"			stainless steel
	B254	2-way	240	2"			stainless steel
	B310B	3-way	1.2	1/2"			chrome plated brass
	B311	3-way	1.9	1/2"			stainless steel
V5013N1030	B311B	3-way	2.9	1/2"	1/2"	brass	chrome plated brass
	B312	3-way	3	1/2"			stainless steel
	B312B	3-way	3	1/2"			chrome plated brass
	B313	3-way	4.7	1/2"			stainless steel
V5013N1048	B313B	3-way	4.7	1/2"	1/2"	brass	chrome plated brass
	B315B	3-way	10	1/2"			chrome plated brass
	B317B	3-way	4.7	3/4"			chrome plated brass
V5013N1055	B318B	3-way	7.3	3/4"	3/4"	brass	chrome plated brass
	B322	3-way	7.4	1"			stainless steel
V5013N1063	B323	3-way	10	1"	1"	brass	stainless steel
	B329	3-way	10	1 1/4"			stainless steel
V5013N1071	B330	3-way	18.7	19	1 1/4"	brass	stainless steel
	B331	3-way	25	1 1/4"			stainless steel
	B338	3-way	19	1 1/2"			stainless steel
V513N1089	B339	3-way	29.3	29	1 1/2"	brass	stainless steel
	B340	3-way	37	1 1/2"			stainless steel
	B348	3-way	37	2"			stainless steel
V5013N1097	B349	3-way	46.8	46	2"	brass	stainless steel
	B350	3-way	57	2"			stainless steel
	B351	3-way	68	2"			stainless steel
	B352	3-way	83	2"			stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### Siemens Globe Valves to Belimo

Competitor Specs    Belimo Specs

SIEMENS	MODEL NUMBERS		Cv	SIZE		VALVE TRIM	
	BELIMO	TYPE					
	B208	2-way		0.46		1/2"	stainless steel
	B208B	2-way		0.46		1/2"	chrome plated brass
	B209	2-way		0.8		1/2"	stainless steel
	B209B	2-way		0.8		1/2"	chrome plated brass
	B210	2-way		1.2		1/2"	stainless steel
599-02030	B210B	2-way	1	1.2	1/2"	1/2"	brass chrome plated brass
	B211	2-way		1.9		1/2"	stainless steel
599-02036	B211B	2-way	1.6	1.9	1/2"	1/2"	brass chrome plated brass
	B212	2-way		3		1/2"	stainless steel
599-02038	B212B	2-way	2.5	3	1/2"	1/2"	brass chrome plated brass
	B213	2-way		4.7		1/2"	stainless steel
599-02041	B213B	2-way	4	4.7	1/2"	1/2"	brass chrome plated brass
	B214	2-way		7.4		1/2"	stainless steel
	B214B	2-way		7.4		1/2"	chrome plated brass
	B215	2-way		10		1/2"	stainless steel
	B215B	2-way		10		1/2"	chrome plated brass
	B217	2-way		4.7		3/4"	stainless steel
599-02044	B217B	2-way	6.3	4.7	3/4"	3/4"	brass chrome plated brass
	B218	2-way		7.4		3/4"	stainless steel
	B218B	2-way		7.4		3/4"	chrome plated brass
	B219	2-way		10		3/4"	stainless steel
	B219B	2-way		10		3/4"	chrome plated brass
	B220	2-way		24		3/4"	stainless steel
	B220B	2-way		24		3/4"	chrome plated brass
	B222	2-way		7.4		3/4"	stainless steel
	B222B	2-way		7.4		1"	chrome plated brass
599-02046	B223	2-way	10	10	1"	1"	brass stainless steel
	B224	2-way		19		1"	stainless steel
	B225	2-way		30		1"	stainless steel
	B229	2-way		10		1 1/4"	stainless steel
599-02084	B230	2-way		19	1 1/4"	1 1/4"	brass stainless steel
	B231	2-way		25	1/2"	1 1/4"	stainless steel
	B232	2-way		37	1/2"	1 1/4"	stainless steel
	B238	2-way		19	1/2"	1 1/2"	stainless steel
599-02087	B239	2-way	25	29	1 1/2"	1 1/2"	brass stainless steel
	B240	2-way		37	1/2"	1 1/2"	stainless steel
	B248	2-way		29	1/2"	2"	stainless steel
599-03008	B249	2-way		46	2"	2"	stainless steel stainless steel
	B250	2-way		57	1/2"	2"	stainless steel
	B251	2-way		65		2"	stainless steel
	B252	2-way		85		2"	stainless steel
	B253	2-way		120		2"	stainless steel
	B254	2-way		240		2"	stainless steel
599-10250	B310B	3-way	1	1.2	1/2"	1/2"	chrome plated brass
	B311	3-way		1.9		1/2"	stainless steel
	B311B	3-way		1.9	1/2"	1/2"	chrome plated brass
	B312	3-way		3		1/2"	stainless steel
599-10253	B312B	3-way	2.5	3	1/2"	1/2"	chrome plated brass
	B313	3-way		4.7		1/2"	stainless steel
599-10254	B313B	3-way	4	4.7	1/2"	1/2"	chrome plated brass
599-10255	B315B	3-way	10	10	1/2"	1/2"	chrome plated brass
	B317B	3-way		4.7		3/4"	chrome plated brass
	B318B	3-way		7.4		3/4"	chrome plated brass
	B322	3-way		7.4		1"	stainless steel
599-10257	B323	3-way	10	10	1"	1"	stainless steel
	B329	3-way		10		1 1/4"	stainless steel
599-10260	B330	3-way	16	19	1 1/4"	1 1/4"	stainless steel
	B331	3-way		25		1 1/4"	stainless steel
599-10262	B338	3-way	16	19	1 1/2"	1 1/2"	stainless steel
599-10263	B339	3-way	25	29	1 1/2"	1 1/2"	stainless steel
	B340	3-way		37		1 1/2"	stainless steel
599-10265	B348	3-way	25	37	2"	2"	stainless steel
599-10266	B349	3-way	40	46	2"	2"	stainless steel
	B350	3-way		57		2"	stainless steel
	B351	3-way		68		2"	stainless steel
	B352	3-way		83		2"	stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### Siemens Ball Valves to Belimo

Competitor Specs  Belimo Specs

SIEMENS	MODEL NUMBERS		Cv	SIZE		VALVE TRIM	
	BELIMO	TYPE					
	B208	2-way	0.46	1/2"			stainless steel
	B208B	2-way	0.46	1/2"			chrome plated brass
	B209	2-way	0.8	1/2"			stainless steel
	B209B	2-way	0.8	1/2"			chrome plated brass
	B210	2-way	1.2	1/2"			stainless steel
	B210B	2-way	1.2	1/2"			chrome plated brass
	B211	2-way	1.9	1/2"			stainless steel
599-10205	B211B	2-way	1.6	1.9	1/2"	1/2"	brass chrome plated brass
	B212	2-way	3	1/2"			stainless steel
588-10206	B212B	2-way	2.5	3	1/2"	1/2"	brass chrome plated brass
	B213	2-way	4.7	1/2"			stainless steel
599-10207	B213B	2-way	4	4.7	1/2"	1/2"	brass chrome plated brass
	B214	2-way	7.4	1/2"			stainless steel
	B214B	2-way	7.4	1/2"			chrome plated brass
	B215	2-way	10	1/2"			stainless steel
599-10208	B215B	2-way	10	10	1/2"	1/2"	brass chrome plated brass
	B217	2-way	4.7	3/4"			stainless steel
	B217B	2-way	4.7	3/4"			chrome plated brass
	B218	2-way	7.4	3/4"			stainless steel
	B218B	2-way	7.4	3/4"			chrome plated brass
	B219	2-way	10	3/4"			stainless steel
599-10209	B219B	2-way	10	10	3/4"	3/4"	brass chrome plated brass
	B220	2-way	24	3/4"			stainless steel
599-10210	B220B	2-way	25	24	3/4"	3/4"	brass chrome plated brass
	B222	2-way	7.4	3/4"			stainless steel
	B222B	2-way	7.4	1"			chrome plated brass
599-10211	B223	2-way	10	10	1"	1"	brass stainless steel
599-10213	B224	2-way	16	19	1"	1"	brass stainless steel
599-10212	B225	2-way	25	30	1"	1"	brass stainless steel
	B229	2-way	10	1 1/4"			stainless steel
599-10215	B230	2-way	16	19	1 1/4"	1 1/4"	brass stainless steel
	B231	2-way	25	1 1/4"			stainless steel
599-10216	B232	2-way	40	37	1 1/4"	1 1/4"	brass stainless steel
	B238	2-way	19	1 1/2"			stainless steel
599-10218	B239	2-way	25	29	1 1/2"	1 1/2"	brass stainless steel
	B240	2-way	37	1 1/2"			stainless steel
	B248	2-way	29	2"			stainless steel
599-10220	B249	2-way	40	46	1 1/2"	2"	brass stainless steel
599-10224	B250	2-way	63	57	1 1/2"	2"	brass stainless steel
	B251	2-way	65	2"			stainless steel
	B252	2-way	85	2"			stainless steel
	B253	2-way	120	2"			stainless steel
	B254	2-way	240	2"			stainless steel
599-10252	B310B	3-way	1	1.2	1/2"	1/2"	brass chrome plated brass
	B311	3-way	1.9	1/2"			stainless steel
	B311B	3-way	1.9	1/2"			chrome plated brass
	B312	3-way	3	1/2"			stainless steel
599-10253	B312B	3-way	2.5	3	1/2"	1/2"	brass chrome plated brass
	B313	3-way	4.7	1/2"			stainless steel
599-10254	B313B	3-way	4	4.7	1/2"	1/2"	brass chrome plated brass
599-10255	B315B	3-way	10	10	1/2"	1/2"	brass chrome plated brass
	B317B	3-way	4.7	3/4"			chrome plated brass
	B318B	3-way	7.4	3/4"			chrome plated brass
	B322	3-way	7.4	1"			stainless steel
	B323	3-way	10	1"			stainless steel
	B329	3-way	10	1 1/4"			stainless steel
599-1060	B330	3-way	16	19	1 1/4"	1 1/4"	brass stainless steel
	B331	3-way	25	1 1/4"			stainless steel
599-10262	B338	3-way	16	19	1 1/2"	1 1/2"	brass stainless steel
599-10263	B339	3-way	25	29	1 1/2"	1 1/2"	brass stainless steel
	B340	3-way	37	1 1/2"			stainless steel
599-10265	B348	3-way	25	37	2"	2"	brass stainless steel
599-10266	B349	3-way	40	46	2"	2"	brass stainless steel
	B350	3-way	57	2"			stainless steel
	B351	3-way	68	2"			stainless steel
	B352	3-way	83	2"			stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### TAC Ball Valves to Belimo

Competitor Specs  Belimo Specs

TAC	MODEL NUMBERS (Stainless Steel Rim= VBS vs. VBB)		Cv	SIZE		VALVE TRIM	
	BELIMO	TYPE					
	B208	2-way	0.46	1/2"			stainless steel
	B208B	2-way	0.46	1/2"			chrome plated brass
	B209	2-way	0.8	1/2"			stainless steel
VBB2N01	B209B	2-way	0.7	0.8	1/2"	1/2"	brass chrome plated brass
	B210	2-way	1.2	1.2	1/2"	1/2"	stainless steel
VBB2N02	B210B	2-way	1.2	1.2	1/2"	1/2"	brass chrome plated brass
	B211	2-way	1.9	1.9	1/2"	1/2"	stainless steel
VBB2N03	B211B	2-way	2.1	1.9	1/2"	1/2"	brass chrome plated brass
	B212	2-way	3	3	1/2"	1/2"	stainless steel
VBB2N04	B212B	2-way	3.5	3	1/2"	1/2"	brass chrome plated brass
	B213	2-way	4.7	4.7	1/2"	1/2"	stainless steel
VBB2N05	B213B	2-way	4.7	4.7	1/2"	1/2"	brass chrome plated brass
	B214	2-way	7.4	7.4	1/2"	1/2"	stainless steel
VBB2N06	B214B	2-way	7.7	7.4	1/2"	1/2"	brass chrome plated brass
	B215	2-way	10	10	1/2"	1/2"	stainless steel
	B215B	2-way	10	10	1/2"	1/2"	chrome plated brass
	B217	2-way	4.7	4.7	3/4"	3/4"	stainless steel
VBB2N15	B217B	2-way	4.7	4.7	3/4"	3/4"	brass chrome plated brass
	B218	2-way	7.4	7.4	3/4"	3/4"	stainless steel
VBB2N16	B218B	2-way	7.7	7.4	3/4"	3/4"	brass chrome plated brass
	B219	2-way	10	10	3/4"	3/4"	stainless steel
VBB2N17	B219B	2-way	10	10	3/4"	3/4"	brass chrome plated brass
	B220	2-way	24	24	3/4"	3/4"	stainless steel
	B220B	2-way	24	24	3/4"	3/4"	chrome plated brass
	B222	2-way	7.4	7.4	3/4"	3/4"	stainless steel
	B222B	2-way	7.4	7.4	1"	1"	chrome plated brass
	B223	2-way	10	10	1"	1"	stainless steel
	B224	2-way	19	19	1"	1"	stainless steel
	B225	2-way	30	30	1"	1"	stainless steel
	B229	2-way	10	10	1 1/4"	1 1/4"	stainless steel
	B230	2-way	19	19	1 1/4"	1 1/4"	stainless steel
	B231	2-way	25	25	1 1/4"	1 1/4"	stainless steel
	B232	2-way	37	37	1 1/4"	1 1/4"	stainless steel
	B238	2-way	19	19	1 1/2"	1 1/2"	stainless steel
	B239	2-way	29	29	1 1/2"	1 1/2"	stainless steel
	B240	2-way	37	37	1 1/2"	1 1/2"	stainless steel
	B248	2-way	29	29	2"	2"	stainless steel
	B249	2-way	46	46	2"	2"	stainless steel
	B250	2-way	57	57	2"	2"	stainless steel
	B251	2-way	65	65	2"	2"	stainless steel
	B252	2-way	85	85	2"	2"	stainless steel
	B253	2-way	120	120	2"	2"	stainless steel
	B254	2-way	240	240	2"	2"	stainless steel
	B310B	3-way	1.2	1.2	1/2"	1/2"	chrome plated brass
	B311	3-way	1.9	1.9	1/2"	1/2"	stainless steel
	B311B	3-way	1.9	1.9	1/2"	1/2"	chrome plated brass
	B312	3-way	3	3	1/2"	1/2"	stainless steel
	B312B	3-way	3	3	1/2"	1/2"	chrome plated brass
	B313	3-way	4.7	4.7	1/2"	1/2"	stainless steel
	B313B	3-way	4.7	4.7	1/2"	1/2"	chrome plated brass
	B315B	3-way	10	10	1/2"	1/2"	chrome plated brass
	B317B	3-way	4.7	4.7	3/4"	3/4"	chrome plated brass
	B318B	3-way	7.4	7.4	3/4"	3/4"	chrome plated brass
	B322	3-way	7.4	7.4	1"	1"	stainless steel
	B323	3-way	10	10	1"	1"	stainless steel
	B329	3-way	10	10	1 1/4"	1 1/4"	stainless steel
	B330	3-way	19	19	1 1/4"	1 1/4"	stainless steel
	B331	3-way	25	25	1 1/4"	1 1/4"	stainless steel
	B338	3-way	19	19	1 1/2"	1 1/2"	stainless steel
	B339	3-way	29	29	1 1/2"	1 1/2"	stainless steel
	B340	3-way	37	37	1 1/2"	1 1/2"	stainless steel
	B348	3-way	37	37	2"	2"	stainless steel
	B349	3-way	46	46	2"	2"	stainless steel
	B350	3-way	57	57	2"	2"	stainless steel
	B351	3-way	68	68	2"	2"	stainless steel
	B352	3-way	83	83	2"	2"	stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.





# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### TAC Ball Valves to Belimo

Competitor Specs  Belimo Specs

TAC	MODEL NUMBERS (Stainless Steel Rim= VBS vs. VBB)		Cv		SIZE		VALVE TRIM	
	BELIMO	TYPE						
	B208	2-way		0.46		1/2"		stainless steel
VB-2213-0-9-01	B208B	2-way	0.38	0.46	1/2"	1/2"	brass	chrome plated brass
	B209	2-way		0.8		1/2"		stainless steel
VB-2213-0-9-02	B209B	2-way	0.68	0.8	1/2"	1/2"	brass	chrome plated brass
	B210	2-way		1.2		1/2"		stainless steel
VB-2213-0-9-03	B210B	2-way	1.3	1.2	1/2"	1/2"	brass	chrome plated brass
	B211	2-way		1.9		1/2"		stainless steel
	B211B	2-way		1.9		1/2"		chrome plated brass
	B212	2-way		3		1/2"		stainless steel
VB-2213-0-9-04	B212B	2-way	2.6	3	1/2"	1/2"	brass	chrome plated brass
	B213	2-way		4.7		1/2"		stainless steel
VB-2213-0-9-05	B213B	2-way	4.7	4.7	1/2"	1/2"	brass	chrome plated brass
	B214	2-way		7.4		1/2"		stainless steel
	B214B	2-way		7.4		1/2"		chrome plated brass
	B215	2-way		10		1/2"		stainless steel
VB-2213-0-9-06	B215B	2-way	8	10	1/2"	1/2"	brass	chrome plated brass
	B217	2-way		4.7		3/4"		stainless steel
VB-2213-0-9-15	B217B	2-way	4.3	4.7	3/4"	3/4"	brass	chrome plated brass
	B218	2-way		7.4		3/4"		stainless steel
	B218B	2-way		7.4		3/4"		chrome plated brass
	B219	2-way		10		3/4"		stainless steel
VB-2213-0-9-16	B219B	2-way	10.1	10	3/4"	3/4"	brass	chrome plated brass
	B220	2-way		24		3/4"		stainless steel
VB-2213-0-9-18	B220B	2-way	28.6	24	3/4"	3/4"	brass	chrome plated brass
	B222	2-way		7.4		3/4"		stainless steel
VB-2213-0-9-21	B222B	2-way	4.4	7.4	1"	1"	brass	chrome plated brass
VB-2213-0-9-22	B223	2-way	9	10	1"	1"	brass	stainless steel
	B224	2-way		19		1"		stainless steel
VB-2213-0-9-24	B225	2-way	26.1	30	1"	1"	brass	stainless steel
	B229	2-way		10		1 1/4"		stainless steel
VB-2213-0-9-43	B230	2-way	14.9	19	1 1/4"	1 1/4"	brass	stainless steel
	B231	2-way		25		1 1/4"		stainless steel
VB-2213-0-9-45	B232	2-way	41.1	37	1 1/4"	1 1/4"	brass	stainless steel
	B238	2-way		19		1 1/2"		stainless steel
VB-2213-0-9-51	B239	2-way	22.8	29	1 1/2"	1 1/2"	brass	stainless steel
VB-2213-0-9-52	B240	2-way	41.3	37	1 1/2"	1 1/2"	brass	stainless steel
	B248	2-way		29		2"		stainless steel
VB-2213-0-9-61	B249	2-way	41.7	46	2"	2"	brass	stainless steel
	B250	2-way		57		2"		stainless steel
	B251	2-way		65		2"		stainless steel
	B252	2-way		85		2"		stainless steel
	B253	2-way		120		2"		stainless steel
	B254	2-way		240		2"		stainless steel
VB-2313-0-9-03	B310B	3-way	1	1.2	1/2"	1/2"	brass	chrome plated brass
	B311	3-way		1.9		1/2"		stainless steel
	B311B	3-way		1.9		1/2"		chrome plated brass
	B312	3-way		3		1/2"		stainless steel
VB-2313-0-9-04	B312B	3-way	2.4	3	1/2"	1/2"	brass	chrome plated brass
	B313	3-way		4.7		1/2"		stainless steel
VB-2313-0-9-05	B313B	3-way	4.3	4.7	1/2"	1/2"	brass	chrome plated brass
VB-2313-0-9-06	B315B	3-way	8	10	1/2"	1/2"	brass	chrome plated brass
VB-2313-0-9-15	B317B	3-way	3.8	4.7	3/4"	3/4"	brass	chrome plated brass
	B318B	3-way		7.4		3/4"		chrome plated brass
VB-2313-0-9-27	B322	3-way	8.6	7.4	1"	1"	brass	stainless steel
VB-2313-0-9-28	B323	3-way	10	10	1"	1"	brass	stainless steel
	B329	3-way		10		1 1/4"		stainless steel
VB-2313-0-9-45	B330	3-way	19	19	1 1/4"	1 1/4"	brass	stainless steel
	B331	3-way		25		1 1/4"		stainless steel
	B338	3-way		19		1 1/2"		stainless steel
VB-2313-0-9-54	B339	3-way	24	29	1 1/2"	1 1/2"	brass	stainless steel
VB-2313-0-9-55	B340	3-way	34	37	1 1/2"	1 1/2"	brass	stainless steel
	B348	3-way		37		2"		stainless steel
	B349	3-way		46		2"		stainless steel
VB-2313-0-9-64	B350	3-way	57	57	2"	2"	brass	stainless steel
	B351	3-way		68		2"		stainless steel
	B352	3-way		83		2"		stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### TAC Globe Valves to Belimo

Competitor Specs  Belimo Specs

TAC	MODEL NUMBERS (VB-9313 = same cross-reference, globe valve)		Cv		SIZE		VALVE TRIM	
	BELIMO	TYPE						
	B208	2-way		0.46		1/2"		stainless steel
	B208B	2-way		0.46		1/2"		chrome plated brass
	B209	2-way		0.8		1/2"		stainless steel
	B209B	2-way		0.8		1/2"		chrome plated brass
	B210	2-way		1.2		1/2"		stainless steel
VB-7213-0-4-2	B210B	2-way	1.3	1.2	1/2"	1/2"	brass	chrome plated brass
	B211	2-way		1.9		1/2"		stainless steel
VB-7213-0-4-3	B211B	2-way	2.2	1.9	1/2"	1/2"	brass	chrome plated brass
	B212	2-way		3		1/2"		stainless steel
	B212B	2-way		3		1/2"		chrome plated brass
	B213	2-way		4.7		1/2"		stainless steel
VB-7213-0-4-4	B213B	2-way	4.4	4.7	1/2"	1/2"	brass	chrome plated brass
	B214	2-way		7.4		1/2"		stainless steel
	B214B	2-way		7.4		1/2"		chrome plated brass
	B215	2-way		10		1/2"		stainless steel
	B215B	2-way		10		1/2"		chrome plated brass
	B217	2-way		4.7		3/4"		stainless steel
VB-7213-0-4-5	B217B	2-way	5.5	4.7	3/4"	3/4"	brass	chrome plated brass
	B218	2-way		7.4		3/4"		stainless steel
VB-7213-0-4-6	B218B	2-way	7.5	7.4	3/4"	3/4"	brass	chrome plated brass
	B219	2-way		10		3/4"		stainless steel
	B219B	2-way		10		3/4"		chrome plated brass
	B220	2-way		24		3/4"		stainless steel
	B220B	2-way		24		3/4"		chrome plated brass
	B222	2-way		7.4		3/4"		stainless steel
	B222B	2-way		7.4		1"		chrome plated brass
VB-7213-0-4-7	B223	2-way	10	10	1/2"	1"	brass	stainless steel
VB-7213-0-4-8	B224	2-way	14	19	1/2"	1"	brass	stainless steel
	B225	2-way		30		1"		stainless steel
	B229	2-way		10		1 1/4"		stainless steel
VB-7213-0-4-9	B230	2-way	20	19	1 1/4"	1 1/4"	brass	stainless steel
	B231	2-way		25		1 1/4"		stainless steel
	B232	2-way		37		1 1/4"		stainless steel
	B238	2-way		19		1 1/2"		stainless steel
VB-7213-0-4-10	B239	2-way	28	29	1 1/2"	1 1/2"	brass	stainless steel
	B240	2-way		37		1 1/2"		stainless steel
	B248	2-way		29		2"		stainless steel
VB-7213-0-4-11	B249	2-way	40	46	1/2"	2"	brass	stainless steel
	B250	2-way		57		2"		stainless steel
	B251	2-way		65		2"		stainless steel
	B252	2-way		85		2"		stainless steel
	B253	2-way		120		2"		stainless steel
	B254	2-way		240		2"		stainless steel
	B310B	3-way		1.2		1/2"		chrome plated brass
	B311	3-way		1.9		1/2"		stainless steel
	B311B	3-way		1.9		1/2"		chrome plated brass
	B312	3-way		3		1/2"		stainless steel
VB-7323-0-4-2	B312B	3-way	2.2	3	1/2"	1/2"	brass	chrome plated brass
	B313	3-way		4.7		1/2"		stainless steel
VB-7323-0-4-4	B313B	3-way	4.4	4.7	1/2"	1/2"	brass	chrome plated brass
	B315B	3-way		10		1/2"		chrome plated brass
	B317B	3-way		4.7		3/4"		chrome plated brass
VB-7323-0-4-6	B318B	3-way	7.5	7.4	3/4"	3/4"	brass	chrome plated brass
	B322	3-way		7.4		1"		stainless steel
VB-7323-0-4-8	B323	3-way	14	10	1"	1"	brass	stainless steel
	B329	3-way		10		1 1/4"		stainless steel
	B330	3-way		19		1 1/4"		stainless steel
VB-7323-0-4-9	B331	3-way	20	25	1 1/4"	1 1/4"	brass	stainless steel
	B338	3-way		19		1 1/2"		stainless steel
VB-7323-0-4-10	B339	3-way	28	29	1 1/2"	1 1/2"	brass	stainless steel
	B340	3-way		37		1 1/2"		stainless steel
	B348	3-way		37		2"		stainless steel
VB-7323-0-4-11	B349	3-way	41	46	2"	2"	brass	stainless steel
	B350	3-way		57		2"		stainless steel
	B351	3-way		68		2"		stainless steel
	B352	3-way		83		2"		stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### TAC Globe Valves to Belimo

Competitor Specs  Belimo Specs

TAC	MODEL NUMBERS (VB-9313 = same cross-reference, globe valve)		Cv		SIZE		VALVE TRIM	
	BELIMO	TYPE						
	B208	2-way		0.46		1/2"		stainless steel
	B208B	2-way		0.46		1/2"		chrome plated brass
	B209	2-way		0.8		1/2"		stainless steel
	B209B	2-way		0.8		1/2"		chrome plated brass
	B210	2-way		1.2		1/2"		stainless steel
VB-9225-0-4-2	B210B	2-way	1.3	1.2	1/2"	1/2"	brass	chrome plated brass
	B211	2-way		1.9		1/2"		stainless steel
VB-9225-0-4-3	B211B	2-way	2.2	1.9	1/2"	1/2"	brass	chrome plated brass
	B212	2-way		3		1/2"		stainless steel
	B212B	2-way		3		1/2"		chrome plated brass
	B213	2-way		4.7		1/2"		stainless steel
VB-9225-0-4-4	B213B	2-way	4.4	4.7	1/2"	1/2"	brass	chrome plated brass
	B214	2-way		7.4		1/2"		stainless steel
	B214B	2-way		7.4		1/2"		chrome plated brass
	B215	2-way		10		1/2"		stainless steel
	B215B	2-way		10		1/2"		chrome plated brass
	B217	2-way		4.7		3/4"		stainless steel
VB-9225-0-4-5	B217B	2-way	5.5	4.7	3/4"	3/4"	brass	chrome plated brass
	B218	2-way		7.4		3/4"		stainless steel
VB-9225-0-4-6	B218B	2-way	7.5	7.4	3/4"	3/4"	brass	chrome plated brass
	B219	2-way		10		3/4"		stainless steel
	B219B	2-way		10		3/4"		chrome plated brass
	B220	2-way		24		3/4"		stainless steel
	B220B	2-way		24		3/4"		chrome plated brass
	B222	2-way		7.4		3/4"		stainless steel
	B222B	2-way		7.4		1"		chrome plated brass
VB-9225-0-4-7	B223	2-way	10	10	1/2"	1"	brass	stainless steel
VB-9225-0-4-8	B224	2-way	14	19	1/2"	1"	brass	stainless steel
	B225	2-way		30		1"		stainless steel
	B229	2-way		10		1 1/4"		stainless steel
VB-9225-0-4-9	B230	2-way	20	19	1 1/4"	1 1/4"	brass	stainless steel
	B231	2-way		25		1 1/4"		stainless steel
	B232	2-way		37		1 1/4"		stainless steel
	B238	2-way		19		1 1/2"		stainless steel
VB-9225-0-4-10	B239	2-way	28	29	1 1/2"	1 1/2"	brass	stainless steel
	B240	2-way		37		1 1/2"		stainless steel
	B248	2-way		29		2"		stainless steel
VB-9225-0-4-11	B249	2-way	40	46	1/2"	2"	brass	stainless steel
	B250	2-way		57		2"		stainless steel
	B251	2-way		65		2"		stainless steel
	B252	2-way		85		2"		stainless steel
	B253	2-way		120		2"		stainless steel
	B254	2-way		240		2"		stainless steel
	B310B	3-way		1.2		1/2"		chrome plated brass
	B311	3-way		1.9		1/2"		stainless steel
	B311B	3-way		1.9		1/2"		chrome plated brass
	B312	3-way		3		1/2"		stainless steel
VB-9313-0-4-2	B312B	3-way	2.2	3	1/2"	1/2"	brass	chrome plated brass
	B313	3-way		4.7		1/2"		stainless steel
VB-9313-0-4-4	B313B	3-way	4.4	4.7	1/2"	1/2"	brass	chrome plated brass
	B315B	3-way		10		1/2"		chrome plated brass
	B317B	3-way		4.7		3/4"		chrome plated brass
VB-9313-0-4-6	B318B	3-way	7.5	7.4	3/4"	3/4"	brass	chrome plated brass
	B322	3-way		7.4		1"		stainless steel
VB-9313-0-4-8	B323	3-way	14	10	1"	1"	brass	stainless steel
	B329	3-way		10		1 1/4"		stainless steel
	B330	3-way		19		1 1/4"		stainless steel
VB-9313-0-4-9	B331	3-way	20	25	1 1/4"	1 1/4"	brass	stainless steel
	B338	3-way		19		1 1/2"		stainless steel
VB-9313-0-4-10	B339	3-way	28	29	1 1/2"	1 1/2"	brass	stainless steel
	B340	3-way		37		1 1/2"		stainless steel
	B348	3-way		37		2"		stainless steel
VB-9313-0-4-11	B349	3-way	41	46	2"	2"	brass	stainless steel
	B350	3-way		57		2"		stainless steel
	B351	3-way		68		2"		stainless steel
	B352	3-way		83		2"		stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### TAC Globe Valves to Belimo

Competitor Specs  Belimo Specs

TAC	MODEL NUMBERS (VB-9313 = same cross-reference, globe valve)		Cv	SIZE		VALVE TRIM
	BELIMO	TYPE				
	B208	2-way	0.46	1/2"		stainless steel
	B208B	2-way	0.46	1/2"		chrome plated brass
	B209	2-way	0.8	1/2"		stainless steel
	B209B	2-way	0.8	1/2"		chrome plated brass
	B210	2-way	1.2	1/2"		stainless steel
VB-2253-0-8-20	B210B	2-way	1	1/2"	1/2"	brass chrome plated brass
	B211	2-way	1.9	1/2"		stainless steel
	B211B	2-way	1.9	1/2"		chrome plated brass
	B212	2-way	3	1/2"		stainless steel
	B212B	2-way	3	1/2"		chrome plated brass
	B213	2-way	4.7	1/2"		stainless steel
VB-2253-0-8-24	B213B	2-way	4	1/2"	1/2"	brass chrome plated brass
	B214	2-way	7.4	1/2"		stainless steel
	B214B	2-way	7.4	1/2"		chrome plated brass
	B215	2-way	10	1/2"		stainless steel
	B215B	2-way	10	1/2"		chrome plated brass
	B217	2-way	4.7	3/4"		stainless steel
	B217B	2-way	4.7	3/4"		chrome plated brass
	B218	2-way	7.4	3/4"		stainless steel
	B218B	2-way	7.4	3/4"		chrome plated brass
	B219	2-way	10	3/4"		stainless steel
	B219B	2-way	10	3/4"		chrome plated brass
	B220	2-way	24	3/4"		stainless steel
	B220B	2-way	24	3/4"		chrome plated brass
	B222	2-way	7.4	3/4"		stainless steel
	B222B	2-way	7.4	1"		chrome plated brass
	B223	2-way	10	1"		stainless steel
	B224	2-way	19	1"		stainless steel
	B225	2-way	30	1"		stainless steel
	B229	2-way	10	1 1/4"		stainless steel
	B230	2-way	19	1 1/4"		stainless steel
	B231	2-way	25	1 1/4"		stainless steel
	B232	2-way	37	1 1/4"		stainless steel
	B238	2-way	19	1 1/2"		stainless steel
	B239	2-way	29	1 1/2"		stainless steel
	B240	2-way	37	1 1/2"		stainless steel
	B248	2-way	29	2"		stainless steel
	B249	2-way	46	2"		stainless steel
	B250	2-way	57	2"		stainless steel
	B251	2-way	65	2"		stainless steel
	B252	2-way	85	2"		stainless steel
	B253	2-way	120	2"		stainless steel
	B254	2-way	240	2"		stainless steel
	B310B	3-way	1.2	1/2"		chrome plated brass
	B311	3-way	1.9	1/2"		stainless steel
	B311B	3-way	1.9	1/2"		chrome plated brass
	B312	3-way	3	1/2"		stainless steel
	B312B	3-way	3	1/2"		chrome plated brass
	B313	3-way	4.7	1/2"		stainless steel
	B313B	3-way	4.7	1/2"		chrome plated brass
	B315B	3-way	10	1/2"		chrome plated brass
	B317B	3-way	4.7	3/4"		chrome plated brass
	B318B	3-way	7.4	3/4"		chrome plated brass
	B322	3-way	7.4	1"		stainless steel
	B323	3-way	10	1"		stainless steel
	B329	3-way	10	1 1/4"		stainless steel
	B330	3-way	19	1 1/4"		stainless steel
	B331	3-way	25	1 1/4"		stainless steel
	B338	3-way	19	1 1/2"		stainless steel
	B339	3-way	29	1 1/2"		stainless steel
	B340	3-way	37	1 1/2"		stainless steel
	B348	3-way	37	2"		stainless steel
	B349	3-way	46	2"		stainless steel
	B350	3-way	57	2"		stainless steel
	B351	3-way	68	2"		stainless steel
	B352	3-way	83	2"		stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.



# VALVE REFERENCE GUIDE

## for Competitor Part Numbers

### Delta Control Products to Belimo

Competitor Specs    Belimo Specs

DELTA CONTROLS	MODEL NUMBERS		Cv		SIZE		VALVE TRIM	
	BELIMO	TYPE	Competitor	Belimo	Competitor	Belimo	Competitor	Belimo
05-2-004SSBS	B208	2-way	0.4	0.46	1/2"	1/2"	stainless steel	stainless steel
05-2-004	B208B	2-way	0.4	0.46	1/2"	1/2"	chrome plated brass	chrome plated brass
	B209	2-way		0.8		1/2"		stainless steel
	B209B	2-way		0.8		1/2"		chrome plated brass
05-2-01SSBS	B210	2-way	1.2	1.2	1/2"	1/2"	stainless steel	stainless steel
05-2-01	B210B	2-way	1	1.2	1/2"	1/2"	chrome plated brass	chrome plated brass
05-2-02SSBS	B211	2-way	2	1.9	1/2"	1/2"	stainless steel	stainless steel
05-2-02	B211B	2-way	2	1.9	1/2"	1/2"	chrome plated brass	chrome plated brass
	B212	2-way		3		1/2"		stainless steel
	B212B	2-way		3		1/2"		chrome plated brass
05-2-04SSBS	B213	2-way	4	4.7	1/2"	1/2"	stainless steel	stainless steel
05-02-04	B213B	2-way	4	4.7	1/2"	1/2"	chrome plated brass	chrome plated brass
	B214	2-way		7.4		1/2"		stainless steel
	B214B	2-way		7.4		1/2"		chrome plated brass
05-2-10SSBS	B215	2-way	9.8	10	1/2"	1/2"	stainless steel	stainless steel
05-2-10	B215B	2-way	9.8	10	1/2"	1/2"	chrome plated brass	chrome plated brass
	B217	2-way		4.7		3/4"		stainless steel
	B217B	2-way		4.7		3/4"		chrome plated brass
	B218	2-way		7.4		3/4"		stainless steel
	B218B	2-way		7.4		3/4"		chrome plated brass
	B219	2-way		10		3/4"		stainless steel
	B219B	2-way		10		3/4"		chrome plated brass
75-2-25SSBS	B220	2-way	25	24	3/4"	3/4"	stainless steel	stainless steel
75-2-25	B220B	2-way	25	24	3/4"	3/4"	chrome plated brass	chrome plated brass
	B222	2-way		7.4		3/4"		stainless steel
	B222B	2-way		7.4		1"		chrome plated brass
	B223	2-way		10		1"		stainless steel
	B224	2-way		19		1"		stainless steel
1-2-35SSBS (1)	B225	2-way	35	30	1"	1"	stainless steel	stainless steel
	B229	2-way		10		1 1/4"		stainless steel
	B230	2-way		19		1 1/4"		stainless steel
	B231	2-way		25		1 1/4"		stainless steel
125-2-47SSBS (1)	B232	2-way	47	37	1 1/4"	1 1/4"	stainless steel	stainless steel
	B238	2-way		19		1 1/2"		stainless steel
	B239	2-way		29		1 1/2"		stainless steel
	B240	2-way		37		1 1/2"		stainless steel
	B248	2-way		29		2"		stainless steel
	B249	2-way		46		2"		stainless steel
	B250	2-way		57		2"		stainless steel
	B251	2-way		65		2"		stainless steel
	B252	2-way		85		2"		stainless steel
2-2-105SSBS	B253	2-way	105	120	2"	2"	stainless steel	stainless steel
2-2-210SSBS	B254	2-way	210	240	2"	2"	stainless steel	stainless steel
	B310B	3-way		1.2		1/2"		chrome plated brass
05-3-02SSBS	B311	3-way	2	1.9	1/2"	1/2"	stainless steel	stainless steel
05-3-02	B311B	3-way	2	1.9	1/2"	1/2"	chrome plated brass	chrome plated brass
	B312	3-way		3		1/2"		stainless steel
	B312B	3-way		3		1/2"		chrome plated brass
05-3-06SSBS	B313	3-way	6	4.7	1/2"	1/2"	stainless steel	stainless steel
05-3-06	B313B	3-way	4.7	4.7	1/2"	1/2"	chrome plated brass	chrome plated brass
	B315B	3-way		10		1/2"		chrome plated brass
	B317B	3-way		4.7		3/4"		chrome plated brass
75-3-12 (1)	B318B	3-way	12	7.4	3/4"	3/4"	chrome plated brass	chrome plated brass
	B322	3-way		7.4		1"		stainless steel
1-3-14SSBS (1)	B323	3-way	14	10	1"	1"	stainless steel	stainless steel
	B329	3-way		10		1 1/4"		stainless steel
	B330	3-way		19		1 1/4"		stainless steel
125-3-21SSBS	B331	3-way	21	25	1 1/4"	1 1/4"	stainless steel	stainless steel
	B338	3-way		19		1 1/2"		stainless steel
150-3-30SSBS	B339	3-way	30	29	1 1/2"	1 1/2"	stainless steel	stainless steel
	B340	3-way		37		1 1/2"		stainless steel
	B348	3-way		37		2"		stainless steel
	B349	3-way		46		2"		stainless steel
2-3-50SSBS	B350	3-way	50	57	2"	2"	stainless steel	stainless steel
2-3-91SSBS (1)	B351	3-way	91	68	2"	2"	stainless steel	stainless steel
	B352	3-way		83		2"		stainless steel

- This valve cross-reference sheet is intended to be used for future valve applications and not a direct field replacement of existing competitive valves.
- The Belimo valve cannot be used as a direct field replacement since the competitive valve actuator would not work on the Belimo valve without modifications.
- To replace the total valve assembly, refer to the Belimo PGPL catalog in the CCV valve section to determine what valve actuator is required.